



ENERGY EXPERT TO GLOBAL ESS USERS



www.gzzg.com.cn



CONTENTS

ABOUT US


Company Profile.....	1
Bussiness Scope.....	3

PRODUCT LINE


Residential Energy Storage Battery	4
--	---



ZGE-B-L	4
ZGE-B-Z	10
Residential Energy Storage Inverter	11
ZGE-P-Z	11
ZGE-P-S	13
C&I Energy Storage Product	19
ZGE-CI-Z	19
ZGE-B-Z	23



Business Scope







High Capacity
High Flexibility

Condensed aer



Fe

HIC

•

ncy

e/P

H

L


MA

with Le
nitor



Model	ZGE-P-S-B5	ZGE-P-S-B6	ZGE-P-S-B8	ZGE-P-S-B10
Efficiency				
Max.efficiency (PV to				







Model	ZGE-P-S-D5	ZGE-P-S-D6

Remarks: The range of output voltage and frequency may vary depending upon differen





IEC62477	IEC61000	CEI-016	VDE4110	EN50549	IEEE1547.1	UL1741	IEC
----------	----------	---------	---------	---------	------------	--------	-----

Model	ZGE-B-Z-200
Basic	
Configuration	1P224S
Number of Pack	14
Short-circuit current	12.2kA
Connection Mode	Fast Plug
Electrical	
Rated charging Current	140A
Max. Charging Current	160A lasts 1 minute
Nominal Capacity	200KWH
Voltage Range	604.8~817.6V 716.8V
Battery Cabinet	
Max. continuous current	160A
Rated Power	
Cooling Unit Power	
Voltage range	
BMS Power	
Battery Cabinet	
Anticorossion	
IP rating	
Power connection	Fast
Grounding Mode	



